

271

269

275

265

260

220

170

Ende

Anfang

Tabularum Rudolphi

DENOMINATIO STELLARUM.	Longitudo G.M.S.	Latitudo G.M.	DENOMINATIO STELLARUM.	Longitudo G.M.S.	Latitudo G.M.	Mag.
Quae supra cor	4.12 ↗	3. 2 A	Media Pt. 8va	26.40 ☿	26.50 A	4
Supra praecedentem cor	2. 1 ↗	2.50 5	Ex quatuor, quae preit 17ma	1.30 ☿	23.10	4
Infra eam in corpore posterior	2.21 ↗	7. 0 4	In conversione fluvij ad pedem Ceti	26.10 V	32.10	4
In primo spondylo	8. 4 ↗	11. 0 3	Sequens	26.50 V	34.50	4
In secundo spondylo	9.44 ↗	14.52 3	Sequentium trium prima	29.50 V	38.30	4
In aculeo caudae	18.29 ↗	13.54 A	Media	4.50 ☿	38. 0	4
Ex Ptol. In 3 spond. boreal. Cl. austr.	11.10 ↗	19. 0 A	Ultima	8.30 ☿	38.50	4
Austr. alior. (Clavius correxit, Bor.)	11.20 ↗	18.20 3	In □ praecedentis lateris borea	12.20 ☿	41.10	4
Sequens in quarto spondylo	14.20 ↗	19.50 3	Austrina	12.30 ☿	42.20	5
Post eum in quinto spondylo	19.10 ↗	19.10 3	Sequentis lateris antecedens	13.10 ☿	43. 0	A 4
Ultior in sexto spondylo	21.30 ↗	17. 0 3	Ultima harum 4	15.40 ☿	43.10	4
Quae in septimo spondylo	20. 0 ↗	15.30 3	Ad ortu 2 conjun. borea Al. ☿. 53	25.10 V	50.20	4
Quae aculeum praecedit	18. 0 ↗	14. 0 4	Magis in austrum. Al. ☿	26. 0 V	51.40	4
Infor. Aculeum sequens	22.10 ↗	13.40 ne	In reflectione duarum posterior	19.10 ☿	53.40	4
Duarum supra acul. praecedens	16.30 ↗	6.30 5	Praecedens	16.50 ☿	53. 0	4
Sequens Aliter 4	20.30 ↗	1.30 A	In ultimo intervallo ex 3, postrema	8.50 ☿	52.50	4
In SAGITTARIO. Ex lib. de stella nova Serpent.			Media	5.50 ☿	53.20	4
a. In cuspidate sagittae	25.20 ↗	6.54 A	Prima trium	2.50 ☿	51.50	4
a. Ex Ptolemaeo. In cuspidate sagittae	25.40 ↗	6.50 A	In extremo fluminis	21.10 V	53.30	A 1
b. In manubrio sinistrae manus	28.50 ↗	6.50 A	Scaliger ad Tychonem scribit, collocari hanc a suis			
Has repetit ob latitudinem. Distantias earum a nona			Matinarius in 9°. 45' N, lat. 59°. Hoc exprimit Bayerus.			
Scorpionis, latitudinis penè ejusdem, inveni annotatas ma-			In CANE majore. In pectore	11.30 ☿	42.20	A 5
nu Tychonis ad observ. Regiomontani, an. 1465. 19 Junij,			In genu australis	7. 0 ☿	42.10	5
sed sine latitudine. Erant autem 19°. 37', & 22°. 58'. Se-			In sin. genu duarum praec. Al. 20	5. 0 ☿	46.10	5
cundum harum differentiam à Ptolemaicis, accommoda-			Sequens	7.10 ☿	45.30	5
vi & reliquarum Sagittarij longitudines ex Ptolemaeo.			In poplite cruris dexteri	14. 0 ☿	54.50	4
In australi parte arcus	29.10 ↗	11.10 A	Informes circa canem			
In oculo nebuloza duplex	6.20 ☿	0.25 B	A Septentrione ad verticem canis	10.30 ☿	25. 0	4
In humero dextero	13.40 ☿	2.10 A	Sub pedibus poster. q. in recta, austr.	1. 0 ☿	61.10	4
In scapulis	11.10 ☿	2.50 5	Quae magis in Boream	2.20 ☿	58.30	A 4
e In armo. Tertia Trapezij c.d.e.f.	9.30 ☿	4.40 4	Quae etiam hac septentrionalior	4. 0 ☿	56.40	4
f Sub axilla. Quarta Trap. c.d.e.f.	8. 0 ☿	6.40 3	Residua de 4, borealissima	5.10 ☿	55.40	4
In suffragine sinistrae priori	8.50 ☿	23.20 2	Trium ad occ. in linea praec. Al. 19	18 0 ☿	55.10	4
In genu ejusdem civitatis	8.10 ☿	18.20 2	Media	21.20 ☿	57.20	4
In priori dextrae suffragine	27.50 ↗	13.20 3	Trium ultima	23.20 ☿	59.30	6
In sinistrae scapula	18.30 ☿	13.50 3	Sub his duarum clararum sequens	20. 0 ☿	59.20	2
In posteriori dextero genu	17.50 ☿	20.30 3	Antecedens	17. 0 ☿	57.20	A 2
In eaditione caudae □, seu Terebelli, borei lateris praecedens	19. 0 ☿	5.10 A	Reliqua australior praedictis	13.10 ☿	59.30	4
Sequens ejusdem lateris	20. 0 ☿	5.10 5	In ARGO. Extrema duarum jr.	2. 0 ☿	42.10	5
Austrini lateris praecedens	19.45 ☿	6.10 5	Quae magis ad austrum	0.20 ☿	45.40	4
Sequens ejusdem lateris	20.50 ☿	6.50 A	Quae has duas praecedit	27. 0 ☿	45.10	4
In AQUARIO. In dextro eluce duarum septentrionalior	23.40 ☿	4.10 A	Sub secundo trium praecedens	27. 0 ☿	49.10	4
Trium Informatarum, quae post stellarum aquae praecedens	18.10 ☿	15.40 4	Sequens	1. 0 ☿	49.30	4
Sequentium borealis	21.10 ☿	14.40 4	Media trium	0.10 ☿	49. 0	4
Australis	20.20 ☿	18.20 A	In extremo gubernaculo	5.40 ☿	49.30	4
In PISCIBUS. Informium in □ sub Pisce pr. Borei lateris praec.	22.10 ☿	2.45 A	In carinae puppis duarum borea	25.40 ☿	52.40	4
Sequens	23.10 ☿	2.25 4	Australis	25.40 ☿	58.20	3
Australis lateris praecedens	22.15 ☿	5.35 4	In folio pippis borea	1.50 ☿	55.20	5
Sequens	23.20 ☿	5.30 4	In eadem folio trium praecedens	3.50 ☿	58.30	A 5
Quae sequuntur hoc □, prior *	1.15 V	4.36 5	Media	4.50 ☿	57. 0	4
Posterior *	6.10 V	4.24 5	Sequens	8. 0 ☿	57.30	4
In CETE. Caudae □, seq. lat. bor.	2.45	12.10 5	Clavis sequens in transtro	12.40 ☿	58.30	2
Australis	1.45	14.10 5	Sub hac duarum obscurarum praec.	9.40 ☿	59.50	5
Antecedentis lateris borea	0.30 V	13.30 5	Sequens	12.30 ☿	59.10	5
Australis	0. 0 V	14.30 A	Supra dicta fulgentis duarum praec.	14.30 ☿	56.30	5
Ptol. numeros correxi ad circumstantiam Tychonicarum exemplum.			Sequens	15.40 ☿	57.30	5
In ERIDANO. Trium ultima	27.20 ☿	25.50 A	In statione mali borea trium	26.50 ☿	51.30	4
			Media	27.20 ☿	55.30	4
			Australis trium	25.10 ☿	57. 0	4
			Sub his duarum conjunctarum borealior	0.20 ☿	59.50	4
			Australior	0.10 ☿	61. 0	4
			In medio mali duarum australis	21.10 ☿	51.30	A 4

Borea